

TINY TOOLS + HOLDER PROMO

BUY **10** TINY TOOLS
AND GET A MATCHING
SIM-HOLDER FOR FREE



When ordering 10 tiny tools (free choice),
you get a matching **SIM-Holder for free**.

Valid for the following holder: Main catalog pages: A06-32 bis A06-33
New Tiny Tools catalog: pages 41 / 42


Ask for our new
Tiny Tools catalog
with over 2.650 tools.




Supervised by:

Please specify in your order
the article numbers of the choosen tiny
tools, the matching holder and the
promotion code: **TinyH-26**.


Tiny Tools Application overview




Boring with internal cooling




Profiling and Boring with chip breaker




Boring, Turning, Facing and Chamfering




Back Turning




Profiling and Boring




Profiling, 90° Face Cutting




Profiling and Boring




Threading




Thread Relief, Chamfering and Grooving




Pre-parting and Chamfering




Chamfering and Boring




Chamfering and Profiling




Grooving




Full Radius Grooving




Face Grooving (internal)




Face Grooving (external)



Deep Face Grooving – with 2 coolant bores



Face Grooving Full Radius (internal)



Face Grooving Full Radius (external)



Demonstration

Carbide Grades:

BXC (P30 - P50, K25 - K40)

PVD TiN coated grade for low cutting speed. Works well with a wide range of materials.

BMK (K10 - K20)

Sub-micron grade with advanced PVD triple coating. Extremely high heat-resistant and smooth cutting operation, for high performance, and normal machining conditions. General purpose for all materials.

K20 (K10 - K30)

Uncoated Carbide grade for non-ferrous metals, aluminum and cast iron.

TNX

New advanced carbide grade TNX for higher feed rates and high performance at medium to high cutting speeds. Extra fine grain with high hardness and toughness combined with a three-layer reddish coating. Ensures high edge stability and improved chip flow.

